

PURESTONE® SANDSTONE PAVING

For more information see page 7 of the main brochure.

Available in four compatible sizes enabling them to be laid easily by those of moderate skills, Purestone Sandstone paving offers the natural alternative to reconstituted stone paving. Possessing the qualities and characteristics only natural stone can provide the Purestone Sandstone paving range gives rise to variations in colour, veining and texture thus maximising its natural appeal. **Please note: Cragside, Heather Ridge and Rosemount are not available to purchase as individual paviers.**

- The hand-dressed edge detail on all Purestone Sandstone paving exhibits a taper or undercut running towards the back face of the flag. When laid with suitable pointing gaps the edges of adjacent paving will provide dovetail or reverse wedge shaped gaps which will considerably assist the "keying in" of the pointing mortar thereby increasing the durability of the finished joints.
- We recommend that Purestone Sandstone paving is laid on a full mortar bed. When laying, the addition of a PVA admix to the bedding mortar mix can enhance bonding or adhesion if required.
- Number per m² includes the recommended pointing gap i.e. 10-15mm.
- Purestone Sandstone has a calibrated thickness of 22mm + or - 1mm.


Nominal unit sizes (mm)	Approx. unit weight	No. per pallet	Approx. pallet weight	No. per m ²	m ² per pack	Notes
900 x 600	30kg	28	890kg	1.8	15.55	
600 x 600	20kg	40	830kg	2.7	14.89	
600 x 300	10kg	85	850kg	5.5	15.56	
300 x 300	5kg	85	410kg	11.1	7.65	



NATURAL STONE

PURESTONE® SANDSTONE PAVING

For more information see page 7 of the main brochure.



*Only available in patio packs.

NATURAL STONE


PURESTONE® SANDSTONE PAVING LARGE PATIO PACK

For more information see page 7 of the main brochure.

The Purestone Sandstone patio pack is made up of four compatible paving units. Easy to handle units - ideal for patio projects. Plan your project around an area of approximately 15.25m² or multiples thereof. The large patio pack covers approximately 15.25m² (allowing for 10-15mm joints). **Available in all colours.**

- Purestone Sandstone has a calibrated thickness of 22mm + or - 1mm.

15.25m ² large patio pack nominal unit sizes (mm)	No. per pack	Total units per pack	Weight per pack	m ² per pack	Notes
900 x 600	13	48	830kg	15.25	
600 x 600	13				
600 x 300	13				
300 x 300	9				



Work it out!

For customer paving quantities using this laying pattern, please use this guide:
 Customer area (in m²) ÷ 15.25 = **Answer** then:
Answer x 13 = Quantity needed for each of:
 900 x 600mm, 600 x 600mm, 600 x 300mm
Answer x 9 = Quantity needed for:
 300 x 300mm

For example:

Customer area: 40m² ÷ 15.25 = **2.6** then:
2.6 x 13 = 34* each of:
 900 x 600mm, 600 x 600mm, 600 x 300mm
2.6 x 9 = 24* of: 300 x 300mm

*Rounded up





NATURAL STONE

PURESTONE® SANDSTONE PAVING SMALL PATIO PACK

For more information see page 7 of the main brochure.

Hand-dressed, durable and beautifully coloured, the Purestone Sandstone small patio pack is made up of four compatible paving units. These easy to handle units are ideal for patio projects. Patio projects will need to be planned around an area of approximately 7.2m² or multiples thereof. The small patio pack (left) covers approximately 7.2m² (allowing for 10-15mm joints). **Available in all colours.** • Purestone Sandstone has a calibrated thickness of 22mm + or - 1mm.

7.2m ² small patio pack nominal unit sizes (mm)	No. per pack	Total units per pack	Weight per pack	m ² per pack	Notes
900 x 600	6	23	410kg	7.2	
600 x 600	6				
600 x 300	6				
300 x 300	5				





PURESTONE® SANDSTONE PAVING EASY TO HANDLE 10.2m² PATIO PACK

For more information see page 7 of the main brochure.

10.2m² patio pack available in Desert Sand and Glendale. Containing six complementary sizes allowing for ease of random laying, helping you to create patios, paths and garden features of classic distinction. This patio pack covers approximately 10.2m² (allowing for 10-15mm joints). **Only available in Desert Sand, Glendale and Greyfell.**

• Purestone Sandstone has a calibrated thickness of 22mm + or - 1mm.

10.2m ² patio pack nominal unit sizes (mm)	No. per pack	Total units per pack	Weight per pack	m ² per pack	Notes
600 x 600	6	45	550kg	10.2	
600 x 450	10				
600 x 300	10				
450 x 450	10				
450 x 300	5				
300 x 300	4				



NATURAL STONE

Desert Sand

Glendale

Greyfell



PURESTONE® SANDSTONE PAVING EASY TO HANDLE 5.5m² PATIO PACK

For more information see page 7 of the main brochure.

5.5m² patio pack available in Desert Sand and Glendale. Containing six complementary sizes allowing for ease of random laying, helping you to create patios, paths and garden features of classic distinction. This patio pack covers approximately 5.5m² (allowing for 10-15mm joints). **Only available in Desert Sand, Glendale and Greyfell.**

• Purestone Sandstone has a calibrated thickness of 22mm + or - 1mm.

5.5m ² patio pack nominal unit sizes (mm)	No. per pack	Total units per pack	Weight per pack	m ² per pack	Notes
600 x 600	3	24	310kg	5.5	
600 x 450	7				
600 x 300	5				
450 x 450	4				
450 x 300	3				
300 x 300	2				



NATURAL STONE



PURESTONE® SANDSTONE CIRCULAR PAVING

For more information see page 7 of the main brochure.

Complete circles may be developed from a 600mm (diam.) centre stone to produce a single ring (1.5m diam.), two ring (2.46m diam.) through to a three ring (3.3m diam.) feature. Squaring-off kits for both the two ring and three ring circle are available producing 2.72m and 3.65m squares. The two and three ring circle can be obtained as a complete circle project pack containing 25 units and 41 units respectively. With the introduction of varying numbers of inner, mid and outer segments endless scope for imaginative landscape design is offered whereby quarter, half and three quarter circles can be easily achieved. **Available in five colours.**

- Overall dimensions include an approximate 10-15mm pointing gap.
- Purestone Sandstone has a calibrated thickness of 22mm + or - 1mm.

Unit	Approx. pallet weight	m ² per pack	Notes
2 ring circle	280kg	4.75	
2 ring circle and squaring-off kit	440kg	7.4	
3 ring circle	450kg	8.56	
3 ring squaring-off kit	280kg	4.74	


Illustrations of Purestone Sandstone circular paving opposite.




NATURAL STONE

PURESTONE® SANDSTONE CIRCULAR PAVING

For more information see page 7 of the main brochure.





This circular feature is comprised of all 41 elements creating a 3.3 metre diameter circle. A squaring-off kit comprising 4 no. five piece corner sets (20 pieces in total) is used to square the circle producing an overall paved area of approximately 13.3m².



The two ring (2.46 metre diameter) circle depicted (above) is squared off with the squaring-off kit comprising 12 pieces in total, producing a paved area of approximately 7.4m². The two ring circle can be purchased separately or complete with squaring-off kit.

Both sizes available in five colours (see below).



PURESTONE® SANDSTONE SETTS

For more information see page 7 of the main brochure.

Purestone Sandstone setts will combine admirably with Purestone Sandstone paving as a smaller element paving or may be used with reconstituted stone paving as border detail, inlay panels, bands and sub-divisions within large paved areas. When used for domestic driveways a suitable sub-base is required.

See table below for available colours. • Number per m² includes nominal joint width of 15-20mm. • Dimensions are approximated due to natural variation in the product and processing. • Thicknesses may vary between 30-45mm.

Nominal unit size (mm)	Colours available	No. per pallet	Approx. pallet weight	No. per m ²	m ² per pack	Notes
100 x 100 x 30-45	Desert Sand, Fieldmoor, Glendale, and Rosemount	750	770kg	85	8.8	



Desert Sand



Fieldmoor



Glendale



Rosemount



NATURAL STONE